

SECTION 06410C CUSTOM CASEWORK

PART 1 - GENERAL

- 1.01 This section shall include custom fabricated cabinets, cases and fixtures.
- 1.02 References shall include the American Woodwork Institute (AWI).
- 1.03 RELATED WORK
 - A. Section 00100 General Conditions for as-built samples
 - B. Section 07800 Fire and Smoke Protection

PART 2 - PRODUCTS

- 2.01 At a minimum all materials and fabrication shall conform to the Architectural Woodwork Institute's specifications for CUSTOM. PREMIUM shall be used for lab casework and when specified by a Brown University Project Manager.
- 2.02 High density fiberboard shall be used under laminate cabinets.
- 2.03 Medium density fiber board shall be used for painted casework.
- 2.04 Plastic laminate exposed finish with melamine interior finish may be used for casework depending on project and budget.
- 2.05 Plastic laminate casework shall be installed in dormitory kitchenettes, with fixed shelves and no doors.
- 2.06 Casework in dormitory mutli-use kitchens with ranges shall accommodate an integral hood with an Ansul type fire-suppression system. The components of the system (pulleys, canisters, pipes) shall be concealed within fixed access panels of the casework. Refer to Fire and Smoke Protection, 7800.
- 2.07 In dormitories small appliances shall be anchored in place.
- 2.08 In dormitory rooms built-in furniture shall not be allowed.

END OF SECTION

